•	Application No.	Applicant(s)	1/1
Notic of Allowability	09/977,163	SCHROF ET AL.	W
	Examiner	Art Unit	
	Michelle A Lazor	1734	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate comm GHTS. This application is and MPEP 1308.	n this application. If not included funication will be mailed in due co subject to withdrawal from issue a	urse. THIS
2. The allowed claim(s) is/are 10,11,13 and 14.			
3. The drawings filed on 15 October 2001 are accepted by the	e Examiner.		
 4.	der 35 U.S.C. § 119(a)-(d)	or (f).	
 Certified copies of the priority documents have 	been received.		
Certified copies of the priority documents have	been received in Application	on No	
Copies of the certified copies of the priority doc	cuments have been receive	ed in this national stage applicatio	n from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority ur reference was included in the first sentence of the specifical	nder 35 U.S.C. § 119(e) (to tion or in an Application Da	a provisional application) since a ata Sheet. 37 CFR 1.78.	specific
(a) The translation of the foreign language provisional a	• •		
6. Acknowledgment is made of a claim for domestic priority ur in the first sentence of the specification or in an Application		or 121 since a specific reference	was included
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of t			
7. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EX reason(s) why the oath o	AMINER'S AMENDMENT or NOT or declaration is deficient.	FICE OF
 8. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No 	on's Patent Drawing Revie	. ,	
(b) \square including changes required by the proposed drawing α	orrection filed, whic	ch has been approved by the Exa	miner.
(c) \prod including changes required by the attached Examiner's	Amendment / Comment o	r in the Office action of Paper No.	··
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on t ne margin according to 37 Cl	the drawings in the front (not the ba FR 1.121(d).	ıck) of
 DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT FOR TI 	sit of BIOLOGICAL MAT HE DEPOSIT OF BIOLOGI	ERIAL must be submitted. Not ICAL MATERIAL.	e the
Attachment(s)			
1☐ Notice of References Cited (PTO-892)		ormal Patent Application (PTO-15	· •
 Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No 		mmary (PTO-413), Paper No	·
	^{),} 7⊠ Examiner's A	Amendment/Comment	
4☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8∏ Examiner's 9 ∏ Other	Statement of Reasons for Allowar	ıce

Application/Control Number: 09/977,163

Art Unit: 1734

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Lesley Shaw on 12/12/03.

The application has been amended as follows:

Claim 10. (Currently amended) A means of producing at least one coating film on at least one area of a substrate surface, having at least the following elements:

- a) at least one storage container for at least one radiation-curable reactive coating formulation,
 - b) at least one exposure unit, and
 - c) at least one spraying head having a nozzle, and/or
 - d) a bell for electrostatic application (ESTA bell),

wherein said at least one exposure unit is designed so that radiation generated in said at least one exposure unit is brought into contact with said at least one radiation-curable reactive coating formulation in said at least one <u>spraying head</u>.

Claim 11. (Currently amended) The means defined in claim 10, further comprising at least one optical waveguide which brings the radiation into contact with said at least one reactive coating formulation in said at least one <u>spraying head</u>.

Application/Control Number: 09/977,163

Art Unit: 1734

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michelle A Lazor whose telephone number is 703-305-7976; after 12/19/03, telephone number will be 571-272-1232. The examiner can normally be reached on Mon - Thurs 6:30 - 4:00, Fridays 6:30 - 3:00.

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on 703-308-3853. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

MAL

12/12/03

Muhallo Accordo Syn

gg van die George 300 George 1700 George 1700